



EMOS GoSmart

Smart living is even
more affordable

Create your own smart home with EMOS GoSmart smart devices and others compatible with the TUYA platform. Connect individual products, set up automate their activities and control them remotely with the fully localized and intuitive mobile app.

EMOS®

A brand of **legrand**

www.emosgosmart.eu

Making Life Easy

CONTENTS



EMOS GoSmart

- 03 Introduction to EMOS GoSmart
- 07 Wi-Fi protocol
- 08 ZigBee protocol




02




SECURITY HOME

- 10 Indoor IP cameras
- 12 Outdoor IP cameras
- 15 Video door phones
- 18 Video doorbells
- 21 Wireless doorbells
- 22 Sensors
- 25 Access control systems




09




MEASUREMENT AND REGULATION

- 28 Thermostats
- 30 Weather stations and thermometers
- 32 Control valves
- 33 Air quality



27



ELECTRICAL INSTALLATIONS AND CONTROLS

- 35 Scenic controls
- 37 Smart hubs
- 38 Extension cords
- 39 Sockets
- 40 Modules




34



LUMINAIRES AND LIGHTING SOURCES

- 44 Light bulbs
- 46 LED Strips
- 48 Luminaries
- 49 Christmas lights
- 50 Floodlights
- 52 Garden lighting
- 54 Ambient lighting




43



HOME AND GARDEN

- 61 Scales
- 62 Pet care
- 64 Irrigation systems



60



EMOS GoSmart in your home




SECURITY HOME

- Indoor IP cameras
- Outdoor IP cameras
- Video door phones
- Video doorbells
- Wireless doorbells
- Sensors
- Access control systems



MEASUREMENT AND REGULATION

- Thermostats
- Weather stations and thermometers
- Control valves
- Air quality



ELECTRICAL INSTALLATIONS AND CONTROLS

- Scenic controls
- Smart hubs
- Extension cords
- Sockets
- Modules



LUMINAIRES AND LIGHTING SOURCES

- Light bulbs
- LED Strips
- Luminaries
- Christmas lights
- Floodlights
- Garden lighting
- Ambient lighting



HOME AND GARDEN

- Scales
- Pet care
- Irrigation systems

EMOS GoSmart products

Optimal price-performance ratio

With the affordable prices and excellent quality of EMOS GoSmart products, the smart home system becomes accessible to everyone. You can easily create your smart home with them without complicated renovation and installation of equipment.



WIDE RANGE

Dozens of EMOS GoSmart products are developed together with the world's leading manufacturers in the industry.



OPTIMAL PRICE AND QUALITY

EMOS GoSmart products are subject to quality control directly at the manufacturer and in our laboratory.



THE ONLY MOBILE APP

The EMOS GoSmart app allows you to control your device via your mobile device from anywhere.



TECHNICAL SUPPORT

We will provide you with technical support and help you get your EMOS GoSmart products up and running.




COMPATIBILITY AND EXPANSIBILITY

Expand your smart home with EMOS GoSmart products and thousands of other TUYA compatible products.



Advanced technology

EMOS GoSmart products communicate via Wi-Fi network, Bluetooth or ZigBee communication protocols. You can even use voice control thanks to their compatibility with Amazon Alexa and Google Assistant.



Powered by



Data security and compatibility

System priorities

The EMOS GoSmart system is based on the global TUYA platform. This platform meets the highest security requirements and, through the use of encrypted communication, enables the integration of individual devices in a smart home, maintaining their compatibility and ease of control.

Renowned brands that have chosen the TUYA platform for their smart devices include HAMA, LIDL, LEDVANCE, PHILIPS and many others.



EMOS GoSmart app

Full localisation and easy to use

The EMOS GoSmart app allows easy control of all smart home devices via your mobile phone or tablet with the **Android or iOS operating system**. Thanks to perfect localization, you will be able to use it in your native language.




Smart control of your home



Control multiple devices



Connect from anywhere you want



Create and use smart scenarios



Share with your family with one tap



Without complicated setup, the **EMOS GoSmart app** always provides an up-to-date overview of what's happening in your home and allows convenient remote control of all smart devices.



FULL LOCALISATION

Thanks to full localization, you will be able to use the app in your native language.



EASY TO USE

Don't worry about complicated app controls – it's easy for everyone to use.



SMART SCENARIOS

Let your devices work together through smart scenarios.



DEVICE MANAGEMENT

You can control all your smart home devices from anywhere using the app.



SMART WARNING

The app will alert you to events in your household via notifications.

EMOS GoSmart is here to make your life easier, safer, and more comfortable.

EMOS GoSmart 2.0

The gateway to new possibilities

Introducing the evolution in controlling your smart products from the EMOS GoSmart range. The new version of the EMOS GoSmart 2.0 app brings with it not only improvements to the user interface, but also several new features for even easier and more comprehensive control.




Complete redesign of the app

Throughout the app you will notice a new and improved color scheme, an updated pairing list and many other improvements. Despite these changes, the overall navigation of the app remains the same to maintain the familiar experience.



New Lighting Scenes

We've introduced a new "Lighting" feature that allows you to set up scenes and automations specifically for lighting. With this feature, you can now group Wi-Fi and ZigBee lights, among others. You can also set specific color codes for your lights and enjoy predefined scenes e.g. smooth color changes, party mode, movie modes etc.



Support for tablets and Apple Watch


The app update brings with it optimization in controlling GoSmart products with tablets as well as the Apple Watch for even more convenience and flexibility in managing your smart home.



GPS-triggered automation

You now have the ability to create automations based on your geographic location. For example, when you arrive near your house, you can set the gate to open automatically or the lights to turn on. We understand that this feature may raise privacy and “tracking” concerns for some of you.

Therefore, it’s important to note that location tracking for both iOS and Android works exclusively through official Apple and Google maps and does not transmit data elsewhere. In addition, the entire app runs on official Microsoft and Amazon servers and user data is stored according to security protocols.



Dark mode, widgets, guides and tutorials in the app


You can now choose between a dark or light scheme throughout the app. With widgets, you'll have quick access to everything you need right now without having to open the app. And all product tutorials are now right in the app, so you don't have to visit our website to download them. This makes managing your smart home devices really easy.





Wi-Fi protocol

Wi-Fi protocol connects to the internet via a router that can realize remote control and monitoring. It is the ideal protocol for smart devices that need a lot of bandwidth, such as security cameras, video phones and video doorbells.




Benefits

- ability to transmit video and audio
- simpler installation and ease of use
- lower purchase price
- no gateway needed, communicates directly with the router
- compatible with most smart devices on the market

Disadvantages

- higher power consumption (demanding on small battery devices)
- possibility of signal interference from other electrical devices, nearby networks or physical obstacles that may lead to signal range problems
- when connecting a large number of devices, the transmission speed may slow down



ZigBee protocol

It is a low-power, short-range wireless communication protocol that is mainly used to connect sensors, detectors and other low-power smart home devices. The ZigBee protocol can support a large number of devices and can be interconnected via a network topology.




Benefits

- low power consumption
- long battery life
- mesh communication within the network, i.e. the signal “jumps” from one device to another and allows communication over longer distances
- support for a large number of devices in the network
- open standard - compatibility with devices from different manufacturers

Disadvantages

- higher purchase price
- the need to purchase a connecting ZigBee gateway (H5001)
- no video and audio transmission is possible
- mobile applications

Mobile applications





SECURITY HOME

- Indoor IP cameras
- Outdoor IP cameras
- Video door phones
- Video doorbells
- Wireless doorbells
- Sensors
- Access control systems



Bring more safety to
yourself and your home.



Indoor IP cameras

Get a restful night's sleep without worrying about everything you love. Smart indoor cameras keep an eye on your child, restless pet and the interior of your apartment or house when you go on holiday. Simply use them to ensure the safety of your family and your home.



GoSmart Baby monitor IP-500 GUARD

With a smart baby monitor with high-quality picture and sound transmitted to your mobile phone or the included LCD monitor, you'll have a perfect overview of every rustle in your baby's room.

- wide-angle lens and camera rotation in two axes
- easy to use at home or on the go thanks to the external 5" LCD monitor
- lullaby and white noise playback, ambient lighting



- night vision
- IP rating: IP20
- motion detection
- sound detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code
H4052
Item number
30 24 040 520



GoSmart Camera IP-110 CUBE

Interior camera perfectly secures your house, apartment, office or property even when you are away. When activated, it notifies you by notification to your mobile phone when motion is detected and captures the footage to SD card or cloud storage.

- small size, sleek design and several installation options
- full HD image resolution and dual-axis camera rotation
- smart private mode for total privacy when the camera is turned off



- night vision
- IP rating: IP20
- motion detection
- sound detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code
H4061
Item number
30 24 040 610





GoSmart Camera IP-220W

The IP-220W swivel camera keeps your home or office safe. It is equipped with 4 MPx resolution and smart features such as PTZ, motion detection, audio detection, has a built-in speaker and microphone.

- DUALBAND – kompatibilní s 2,4 i 5 GHz Wi-Fi
- night mode and surveillance area delineation
- camera can be hung or set up
- power supply via 2m USB-C cable
- easy installation (complete accessories included)



- night vision
- IP rating: IP20
- motion detection
- sound detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way



Order Code
H4060
Item number
30 24 040 600



GoSmart Camera IP-222W

IP-222W rotating camera in elegant gunmetal color. The camera is equipped with advanced automatic and security features, including motion and sound detection. Powerful LEDs provide quality illumination even in low light conditions or in the dark. The ideal choice for a modern and secure home.

- call button directly on the camera
- WDR technology – balances extremely bright and dark areas in the frame to ensure high-quality image capture
- siren for enhanced security
- preset tracking points – use smart scenarios to teach the camera to monitor exactly the area you need



- night vision
- IP rating: IP21
- motion detection
- sound detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way



Order Code
H4062
Item number
30 24 040 620





Outdoor IP cameras

Whether you're going on holiday or just heading to work, you can rely on your home to stay safe. Smart cameras will watch over it for you and immediately alert you via the EMOS GoSmart app to any suspicious activity nearby.




GoSmart Camera IP-600 EYE

Get perfect illumination of the desired area and a clear view of what's happening with this rugged outdoor camera. Its unique two-device combination allows you to capture color footage even in total darkness.

- waterproof body for extreme weather conditions
- battery-powered and recharged by an integrated solar panel
- siren for even better defence
- two-way voice communication

- night vision
- IP rating: IP55
- motion detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code
H4056
Item number
30 24 040 560





GoSmart Camera IP-210 SNAP

A versatile and durable camera suitable for both indoor and outdoor use. Thanks to its exceptionally long battery life and easy installation, it becomes a reliable guardian of your home in your absence.

- waterproof camera for indoor and outdoor security
- long operating life thanks to the superior battery capacity
- two included mounts for quick and easy installation (magnetic + mechanical)
- human body detection
- two-way voice communication



- night vision: yes, 9× IR LED 850 nm
- IP rating: IP65
- motion detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code
H4063
Item number
30 24 040 630



GoSmart Camera IP-310 TORCH W / B

Elegant lighting with adjustable light intensity up to 1200 lm with integrated camera with wide-angle rotating lens ensures perfect illumination of the desired area and an overview of what is happening there.

- 2 in 1 - waterproof security camera and elegant lighting
- full HD image resolution and camera rotation in one axis
- built-in security siren with up to 120 dB volume
- adjustable light intensity
- customizable motion detection zones
- motion detection and tracking



- night vision: yes, 4× IR LED + white LED
- IP rating: IP65
- motion detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code
H4064
Item number
30 24 040 640



Order Code
H4065
Item number
30 24 040 650





GoSmart Camera IP-800 WASP

The 5MPx outdoor camera provides an excellent level of image sharpness and captures images and videos with 5 million pixels for unparalleled detail. With this advanced resolution, you will be able to discern important details such as faces, license plates and other vital information to ensure safety around your property.

- PTZ (pan and tilt and zoom) function to ensure comprehensive coverage of the surveillance area
- siren for even better defense system
- color recording even at night
- motion tracking function where the camera returns to its original position when the tracked object is lost



- night vision
- IP rating: IP65
- motion detection
- sound detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way


Order Code
H4057
Item number
30 24 040 570



GoSmart Camera IP-6000 OWL

The outdoor camera with 4G connectivity offers a revolutionary combination of features to ensure safety and flexibility in positioning. Thanks to the mobile network connection, it is possible to monitor an area anywhere you don't have your Wi-Fi connection, such as a cottage by the woods, beehives or remote properties.

- připojení přes 4G mobilní síť
- napájení pomocí solárního panelu a velkokapacitní baterie
- rozlišení kamery 3MPx pro kvalitní obraz a přiměřenou spotřebu dat
- PTZ (naklápění a zoomování) – natácejte a přibližujte kameru dle potřeby a sledujte mnohem větší oblast než pomocí fotopasti



- night vision: yes, 4x IR LED + white LED
- IP rating: IP65
- motion detection
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: 4G, LTE
- voice communication: two-way


Order Code
H4058
Item number
30 24 040 580





Video phones

Get ultimate control over access to your home. Communicate with invited and uninvited visitors at your door, whether you're at home or on the road, in safety and without opening the door, via smart video phones.



GoSmart Video phones IP-750A

A sleek video phone with a touchscreen display to keep an eye on your home at all times. In addition to its security features, it can conveniently unlock your front door, open your garage door or gate.

- elegant 7" LCD monitor with IPS touchscreen display
- advanced security features for the area outside your home
- expandable system suitable for apartment buildings and multi-household setups
- 3 modes: at home, do not disturb and away from home



- possibility to record
- lock control
- optional connection of CCTV camera
- monitor size: 175 × 118 × 25 mm
- dimensions of the camera unit: 142 × 44 × 21 mm
- camera viewing angle: 160°

Order Code
H4020
Item number
30 10 040 200




8 592920 129678



GoSmart LCD monitor IP-750B

Expandable 7" LCD monitor for the GoSmart series of video phones, offering true color display and wide viewing angles. When complemented with an outdoor camera unit, it provides the ultimate control of the area outside your front door.

- elegant 7" LCD monitor with IPS touchscreen display
- advanced security features for the area outside your front door
- expandable system suitable for apartment buildings and multiple households
- used to expand the IP750A kit, not functional on its own



- screen size: 7
- color display: yes, IPS
- lock and gate control
- optional connection of CCTV cameras
- intercom
- number of cables (monitor/lock/gate): 4+0+2
- recommended camera unit: H3016, H3017, H3018, H3019
- monitor size: 145 × 205 × 12 mm

Order Code
H4021
Item number
30 10 040 210



8 592920 129692





GoSmart Video phones IP-800

A designer video phone with touchscreen to keep an eye on your home. In addition to security features, it offers new IP technology for even better video and audio transmission.

- elegant 7" monitor with IPS touchscreen display and RGB LED backlight
- durable, all-metal, outdoor unit
- easy setup - 2-WIRE IP Plug & Play
- advanced security features for the area outside the entrance
- expandable system with additional outdoor and indoor units (H4041, H4042, H4044)



- possibility to record
- lock control
- dimensions of the camera unit: 83 × 183 × 40 mm
- monitor size: 175 × 120 × 21 mm
- camera viewing angle: 110°

Order Code
H4040
Item number
30 10 040 400



GoSmart VDP monitor IP-810

Expandable 7" monitor for GoSmart Series videophones, offering true color display, touchscreen display and new IP technology for even better video and audio transmission. Add an outdoor camera unit for a modern security system for your home.

- elegant 7" monitor with IPS touchscreen display and LED RGB backlight
- easy connection - 2-WIRE IP Plug&Play
- expandable system - the monitor can be added to the H4040 videophone kit, or used separately with the H4042 and H4044 outdoor units



- possibility to record
- lock control
- dimensions of the camera unit: 83 × 183 × 40 mm
- monitor size: 174 × 128 × 21 mm
- camera viewing angle: 110°

Order Code
H4041
Item number
30 10 040 410



GoSmart IP outdoor unit – 1 button / 4 buttons

Camera units for Gosmart series videophones, offering an integrated RFID reader, sharp, high-quality images day and night and a wide camera angle. The metal body resists both mechanical damage and bad weather.


- the package includes a set of 5 RFID chips + 2 master chips
- camera unit with one or four buttons
- camera angle 110°
- 2 MPx camera for a constant overview of what's happening outside the front door
- expandable system - the unit can be added to the H4040 videophone kit or used separately with the H4041 monitor



Order Code
H4042
Item number
30 10 040 420



- possibility to record
- lock control
- dimensions of the camera unit: 83 × 183 × 40 mm
- monitor size: 174 × 128 × 21 mm
- camera viewing angle: 110°



Order Code
H4044
Item number
30 10 040 440



GoSmart Wireless video phones IP-410W

Videophone as an ideal solution for elderly and immobile people looking for comfort and security. It offers easy installation and flexible power options. The outdoor unit is equipped with a rechargeable battery with a high capacity of 5000 mAh. Thanks to RF signal transmission, it is possible to achieve a greater distance between the units - up to 200 meters in an open area.

- durable outdoor unit with nameplate
- mobile app notifications
- flexible location of the indoor unit - stand or hang on the wall, thanks to the battery it has a battery life of up to 3 hours and you can take it anywhere around the house with you

- possibility to record
- optional connection of CCTV camera
- lock control
- dimensions of the camera unit: 46 × 180 × 70 mm
- monitor size: 130 × 180 × 23 mm
- camera viewing angle: 120°

Order Code
H4101
Item number
30 10 041 010





Video doorbells

Always have a perfect overview of what is happening outside your door. With smart video doorbells it's easy, whether you're at home or on the go. Communicate remotely with visitors, capture video footage and be notified of recorded movement.



GoSmart Video doorbell IP-09D

A video doorbell with motion detection, two-way communication and night vision secures your home day or night. The included LCD solar panel will allow it to operate even where power cords would make it impossible.

- Solar panel and battery operation for locations without cable distribution
- full HD camera for a constant overview of what's happening outside the front door
- allows door lock control from the mobile app
- alarm in case of device theft

- lock control
- IP rating: IP44
- motion detection
- IR CUT
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code

H4030

Item number
30 10 040 300





GoSmart Video doorbell IP-09C

Video doorbell with motion detection, two-way communication and night vision to secure your home day and night. To install the outdoor doorbell button, you can use existing cables after removing the original doorbell.

- easy installation using existing cabling
- full HD camera for an overview of what's happening outside the front door
- allows you to control the door lock from the mobile app
- included charging adapter

- lock control
- IP rating: IP44
- motion detection
- IR CUT
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code

H4031

Item number
30 10 040 310



8 592920 117569



GoSmart Video doorbell IP-15S

Video doorbell with motion detection, two-way communication and night vision secures your home day and night. Many power options make it a versatile solution for installation in your home.

- battery and mains powered
- full HD camera for viewing what's happening outside your front door
- elegant design

- IP rating: IP65
- motion detection
- IR CUT
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication: two-way

Order Code

H4032

Item number
30 10 040 320



8 592920 118177






GoSmart Video doorbell IP-20PoE

Innovative and durable video phone for remote unlocking using a mobile app or RFID chip for maximum control over access to your home. The main benefit is the PoE (Power of Ethernet) power supply, which ensures data and power transmission over a single cable.

- can open the door even during a call
- full HD camera with night vision
- two-way communication
- can be connected up to 100 m away



BENEFITS PoE

- ▶ **power various devices** – IP cameras, wireless access points (WAP) or VoIP phones
- ▶ **time saving** – just one cable to transmit data and power
- ▶ **flexibility** – can be placed further away from power sockets
- ▶ **overload protection**
- ▶ **UPS reliability** – power is not interrupted even during power outages

- number of buttons on the camera unit: 1
- vandal resistant design of camera unit
- power supply: 12 V DC (part of the package)
- illumination of camera: yes, 10 m
- dimensions of the camera unit: 50 × 139 × 38 mm
- IP rating: IP44
- camera viewing angle: 160°
- installation: surface

Order Code

H4033

Item number
30 10 040 330



GoSmart Video doorbell IP-21PoE Keypad

The innovative and durable video phone with illuminated keypad alerts you to visitors and ensures safety even at night thanks to a high-quality night vision camera. The main benefit is the power supply via PoE (Power of Ethernet), which ensures data and electricity transmission via one cable.

- 3 unlocking options: RFID chip, mobile app and password (PIN)
- indoor chime included
- ring notification via mobile app
- smart scene creation
- backlit keypad for comfortable operation in twilight or darkness



- number of buttons on the camera unit: 1
- vandal resistant design of camera unit
- power supply: 12 V DC (part of the package)
- illumination of camera: yes, 10 m
- dimensions of the camera unit: 69 × 38 × 140 mm
- IP rating: IP44
- camera viewing angle: 160°
- installation: surface

Order Code

H4034

Item number
30 10 040 340



GoSmart Video doorbell IP-10W

Elegant video doorbell with motion detection, two-way communication, RGB lighting of the indoor chime and simple operation for maximum convenience and security. Variable power supply makes installation very easy and hassle-free.

- power supply via 16-24V or included USB cable
- full HD camera for a clear view of what's happening outside the front door
- optical and audio indication of the inner chime - RGB lighting
- IR CUT and night vision



- installation: surface
- IP rating: IP44
- power supply: AC 16-24V, USB: DC 5V
- number of buttons on the camera unit: 1
- illumination of camera: yes, 5 m
- dimensions of the camera unit: 115 × 45 × 21 mm
- camera viewing angle: 100°

Order Code

H4035

Item number
30 10 040 350






Wireless doorbells

Never miss an important visit or package delivery again. Smart wireless doorbells offer a range of features to make your life easier. From instant notifications on your phone, to easy control and setup on the mobile app, to integration with other smart devices in your home.

GoSmart Wireless doorbells P5735WS / P5735SS

A wireless doorbell that lets you keep track of every ring via notifications to your mobile phone. Automatic pairing and convenient app control make it easy and intuitive to use.

- convenient setup and control of the doorbell via the mobile app
- extension to 2 outdoor buttons for flexible positioning
- modern design in white and metallic color
- creation of smart scenarios and the possibility of automation with other smart devices



- reach of the button: 150 m
- number of melodies: 52
- special functions: setting a different melody and volume for each button paired in the app
- optical signaling on the doorbell
- optical signaling on the button
- maximum ringing volume: 110 dB
- volume control: yes, 4 levels

Order Code
P5735WS
Item number
34 02 127 000



Order Code
P5735SS
Item number
34 02 128 000





Sensors

Detect gas leaks, water leaks, incipient fires or any movement or unusual activity in real time thanks to smart sensors that also send notifications to your mobile device immediately via the EMOS GoSmart app. With a quick response, you can prevent major damage to your property.



GoSmart Door sensor IP-2011Z ZigBee

A smart door sensor is an innovative device to ensure your safety and convenience in everyday life. You will no longer have to think about whether you have actually closed the windows and doors in your house.

- ability to integrate into home automation, e.g., turning on lights upon entering a room
- possibility of creating statistics on the opening/closing of the monitored object
- identification of unusual situations
- easy installation thanks to the accessories included in the package
- compact size and long sensor range

- IP rating: IP20
- power source: 1× CR2032 (3 V)



Order Code
H5021
Item number
30 69 052 020



GoSmart Motion sensor IP-2210Z ZigBee

Enter a safer and more energy-efficient future with our compact and versatile smart motion sensor. With instant motion detection, motion recording and automation options, you will no longer miss a thing.

- instant alerts and notifications in the mobile app
- accurate motion detection up to 8m and 90°
- motion or timed activation

- detection angle: 90°
- detection distance: 8 m
- IP rating: IP20
- power source: 1× CR123A (3 V)

ZigBee

3.0



Order Code

H5020

Item number
30 69 052 010



8 592920 128749



GoSmart PIR sensor with night light

The advanced motion sensor is designed to automatically detect 120° motion up to 7m away, providing you with subtle nighttime illumination to ensure you travel safely in the dark. Link with other smart devices to create automations that put you in control of your home.

- light colour: RGB + CCT
- motion alert via notification to your mobile device
- motion detection distance settings 3, 5 and 7 m
- additional features: timer, auto on/off, Day/Night mode

- source of light: LED
- switch
- photosensor
- motion sensor

Wi Fi



Order Code

P3322

Item number
14 56 000 190



8 592920 135518





GoSmart Smoke detector TS380C-HW

With the smart smoke detector you will detect potential dangers in time, wherever you are. If the detector detects smoke, it will trigger loud alert sounds, optical signalling and also send an instant notification to your mobile phone.

- Minimalist design
- 85 dB loud alarm audible within a 3 m range
- warning of the approaching end of life and also of the need to replace batteries
- possibility of integration into a home security system



- type of signaling: optical and audible
- volume of signaling: >85 dB from 3 m distance
- lifetime: 10 years
- IP rating: IP20
- power source: 2x 1.5 V AA, included



Order Code
P56500S
Item number
21 04 103 000



GoSmart Water leak detector P56000S ZigBee

With the smart water leak detector you will detect potential dangers in time, wherever you are. If the detector detects leaking water, it will trigger loud warning sounds, an optical alarm, and also send an instant notification to your mobile phone.

- 85 dB alarm volume
- compact size and elegant design
- ideal for bathrooms, kitchens or utility rooms
- possibility of integration into the home security system



- type of signaling: optical and audible
- volume of signaling: >85 dB from 1 m distance
- lifetime: 10 years
- IP rating: IP65
- power source: 1x 3 V CR2, included



Order Code
P56000S
Item number
21 04 104 000



GoSmart Carbon monoxide detector TCS0101W

An ideal assistant for those using a gas boiler, fireplace stove, or gas cooker. Also suitable for all rooms with fossil fuel burning appliances (wood, coal, petrol, gas ...)

- provides real-time information about the CO level in your home
- optical and audible alarms
- alarm memory
- variable positioning - hanging/placing in the room
- ability to check alarm functionality using the TEST/HUSH button



- type of signaling: optical and audible
- volume of signaling: >85 dB from 3 m distance
- lifetime: 10 years
- IP rating: IP30
- power source: 2x 1.5 V AA, included






Order Code
P56400S
Item number
21 04 105 000





Access systems

Bring efficient and safe management of your premises. They make it easy to control access to your premises, track people's movements and keep you informed of who is entering and leaving the premises, whether it's for work or leisure. You can then easily control everything using the EMOS GoSmart app on your mobile device.



GoSmart Code keypad IP-006AX

A sophisticated code keypad with many clever features such as remote unlocking using the EMOS GoSmart app, easier management of individual members directly in the app, entry logs, etc. will become a safe assistant at your front door.



- high quality and robust keypad finish
- remote unlocking via EMOS GoSmart app
- entry logging function for easy attendance management
- individual member management (each member can have their own unique code or RFID chip)

- number of switching relays: 1
- number of codes: up to 1 000
- power source: 12 V AC/DC (not included)
- backlight
- dimensions: 23 × 78 × 115 mm

Order Code
H5023
Item number
30 69 050 230



8 592920 128862



GoSmart Alarm IP-126L

Smart home alarm system that combines cutting-edge technology with easy operation. The system includes a 125 dB motion detector siren to ensure that no uninvited guest goes unnoticed, six door and window sensors providing comprehensive protection for all entry points in your home, and two remote controls for simple and convenient operation of the entire system.


- Easy installation and control via mobile app
- alarm notification
- motion detection
- SOS button on the remote control to trigger an alarm and call for quick assistance
- 2 modes: loud siren and chime (the ideal helper e.g. in the shop, doctor's office and in all places where you need an entry notification)



- detection distance: 8 m
- detection angle: 110°
- switching time: 5 s, 30 s, 1 min, 3 min, 5 min, 8 min
- IP rating: IP21
- power source: DC USB 5 V / 3× AA

Order Code
H5030
Item number
30 69 050 300





MEASUREMENT AND CONTROL

- Thermostats
- Weather stations and thermometers
- Control valves
- Air quality





Increase the comfort
of your home and life.



Thermostats

Reduce the cost of heating your home with smart thermostats and thermostatic controls. Set the optimal temperature for different rooms and times of the day with them and control them remotely with your mobile device.




GoSmart Thermostat P56201

- temperature calibration
- child lock
- operating modes: automatic / manual / temporary / boost / eco / holiday
- type of control: programmable electronic room thermostat, option to control via mobile phone (iOS, Android)
- control mode: heating and cooling system
- temperature adjustment type: 6 temperature changes per day
- temperature adjustment: from 5 °C up to 35 °C, after 0.5 °C
- switching: 230 V AC or potential-free
- dimensions: 138 × 88 × 33 mm



Order Code
P56201
Item number
21 01 900 000



GoSmart Wireless thermostat P56211

- temperature calibration
- child lock
- operating modes: automatic / manual / temporary / boost / eco / holiday
- type of control: programmable electronic room thermostat, option to control via mobile phone (iOS, Android)
- control mode: heating and cooling system
- temperature adjustment type: 6 temperature changes per day
- temperature adjustment: from 5 °C up to 35 °C, after 0.5 °C
- switching: 230 V AC or potential-free



Order Code
P56211
Item number
21 01 900 001



GoSmart Thermostatic head P5630S ZigBee

- protection against freezing
- open window detection
- thermo shut-off valve: SMART, programmable
- temperature adjustment type: 6 temperature changes per day
- temperature adjustment: 1 °C to 70 °C, resolution 0.5 °C
- adjustable variance of temperature: from 0.5 °C up to 1.5 °C, after 0.5 °C
- anti-frost protection
- open window function



ZigBee
3.0



Order Code
P5630S
Item number
21 01 900 003



GoSmart Floor thermostat P56201UF / P56201BUF

- temperature calibration
- child lock
- working modes: automatic / manual / temporary / boost / eco / holiday
- type of control: programmable electronic room thermostat, option to control via mobile phone (iOS, Android)
- control mode: heating system
- temperature adjustment type: 6 temperature changes per day
- temperature adjustment: from 1 °C up to 70 °C, after 0.5 °C
- switching: voltage 230 V AC, 50 Hz
- dimensions: 86 × 86 × 43 mm




Wi Fi

Order Code
P56201UF
Item number
21 01 900 002



Wi Fi

Order Code
P56201BUF
Item number
21 01 900 012



GoSmart Socket thermostat with 2-in-1 digital timer function

A smart multifunctional thermostatic and switching socket that can be used as a handy thermostat in the heating season or as a timer socket for appliances that suddenly become smart devices with the ability to monitor their consumption in a mobile app.

- 2-in-1 thermostat and timer socket
- clear backlit display
- control via mobile app or manually
- energy consumption meter
- program memory for power outage backup
- creation of smart scenes and automations


- type of control: programmable electronic room thermostat, option to control via mobile phone (iOS, Android)
- control mode: heating and cooling system
- temperature adjustment type: 6 temperature changes per day
- temperature adjustment: 5 °C to 40 °C, resolution 0.5 °C
- adjustable variance of temperature: from 0.2 °C up to 2 °C, after 0.1 °C
- maximum load: 3 680 W

Order Code
P56601SH
Item number
21 06 000 400



Wi Fi





Weather stations and thermometers

Modern weather stations and thermometers display accurate and up-to-date information about the weather, temperature and humidity outside and inside your home. With our devices, you can plan your activities and optimise your heating or air conditioning settings for maximum comfort.



With smart thermometers you get complete control over the environment in your home. The thermometers accurately measure indoor temperature and humidity, display a history of data via the EMOS GoSmart app, and are easy to just plug into your home automation. For example, when higher humidity is detected, the bathroom ventilation automatically switches on.

GoSmart Digital wireless thermometer EGS0102 ZigBee

- thermometer design: wireless – smart
- indoor temperature: -20 °C to +60 °C, resolution 0.1 °C
- indoor humidity: 0 % to 99 % RH, resolution 1 %



Order Code
EGS0102
Item number
26 03 122 000



- measures indoor temperature and humidity
- switchable between °C and °F
- view temperature and humidity history in the app
- temperature and humidity alert function - alarm can be set if the set range is exceeded
- battery power supply

GoSmart Digital wireless thermometer EGS0101 ZigBee

- thermometer design: wireless – smart
- clock: wifi
- indoor temperature: -10 °C to +60 °C, resolution 0.1 °C
- indoor humidity: 0 % to 99 % RH, resolution 1 %
- min. and max. temperature



Order Code
EGS0101
Item number
26 03 123 000



GoSmart Wireless weather station E8610

This smart weather station offers a comprehensive weather overview and many other features to make your life easier. It can be controlled via the EMOS GoSmart app on your mobile device, allowing you to automate interactions with other smart devices in your home. The modern design with a permanently illuminated LED display allows it to stand up or hang on the wall.

- measures indoor and outdoor temperature and humidity
- 5-day weather forecast
- in the mobile app you can view the history of the measured values with clear graphs, export the measured data to Excel
- support up to 3 output sensors (80 m range)
- additional functions: clock, date, calendar, temperature alerts, temperature trend, alarm, 4 temperature alarms and much more




- clock: wifi
- outdoor temperature: -40 °C to +70 °C, resolution 0.1 °C
- indoor temperature: -10 °C to +50 °C, resolution 0.1 °C
- outdoor humidity: 20 % to 95 % RH, resolution 1 %
- indoor humidity: 20 % to 95 % RH, resolution 1 %
- min. and max. temperature



Order Code
E8610
Item number
26 06 183 000





Control valves

A handy device that allows you to open and close water or gas supplies via a mobile app on your mobile phone. Save on energy costs and reduce wear and tear on your appliances.



ZigBee 3.0




GoSmart Motorized valve closer water/gas P5640S ZigBee

A handy wirelessly controlled motorised valve that is the ideal complement to smart detectors, where if an accident is detected it will immediately shut off the water or gas supply and prevent even more damage.

- automatic and manual control in case of power failure, high power and torque
- immediate response to incident detection in fully automated setups
- ideal complement to the GoSmart water or smoke leak detector
- compatible with caps that close/open with 90° rotation

- pipe diameter: 1/2", 3/4", 1" a 1 1/4"
- torque: max. 5.88 Nm
- operating temperature: -10 °C to 55 °C
- IP rating: IP20
- power source: DC 12 V/1 000 mA, 1.4 m (included)
- protocol: Zigbee 3.0
- control by voice assistants

Order Code
P5640S
Item number
21 05 564 000





Air quality

Step into a cleaner, healthier life with us. Monitor and analyse the current air conditions in your home with products from the EMOS GoSmart range.



GoSmart Air quality monitor E30300

Increased CO₂ concentrations lead to drowsiness, fatigue and reduced concentration, headaches and the unpleasant sensation of breathing air. The GoSmart air quality monitor is the ideal assistant to ensure a comfortable and healthy environment wherever you need it. Suitable for offices, classrooms, meeting rooms, study rooms, etc.

- overview of the current CO₂ level
- if the CO₂ level exceeds the set threshold, an internal alarm is triggered and a notification is sent via the EMOS GoSmart app to your mobile device
- colour-coded air quality animation with 3 levels
- also displays the clock and can be used as an alarm clock
- clear, permanently illuminated display


- permanent backlight
- CO₂ alert
- CO₂ level indicator
- indoor temperature: 0 °C to +50 °C, resolution 0.1 °C
- indoor humidity: 20 % to 90 % RH, resolution 1 %
- protocol: Wi-Fi

Order Code
E30300
Item number
26 27 303 000



8 592920 126318





WIRING AND CONTROL

- Scenic controls
- Central units
- Extension leads
- Sockets
- Modules

Control your appliances
easily and conveniently.





Scenic controllers

Control multiple household devices or lights with a single button. With this sophisticated type of switch, you can program different scenes or light effect settings and then simply activate them.



ZigBee 3.0



Works with
Alexa,
Google Assistant

Download on the
App Store

GET IT ON
Google Play

How do they work?

You connect the scene switches to other smart home devices using a ZigBee gateway connected to your home Wi-Fi network. You can then set up individual scenes using the EMOS GoSmart mobile app. Each of the three button positions can be assigned a custom function. Has the sun started to shine and the temperature outside has risen? At the touch of a button, you can switch off the room lights, pull down the roller blinds and activate the humidifier all at once.



GoSmart Portable ZigBee scene controller IP-2001ZW

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 1
- power supply: CR 2430 3 V



Order Code
H5011
Item number
30 69 050 110



GoSmart Portable ZigBee scene controller IP-2001ZB

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 1
- power supply: CR 2430 3 V




Order Code
H5014
Item number
30 69 050 140



GoSmart Portable ZigBee scene controller IP-2002ZW

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 2
- power supply: CR 2430 3 V



Order Code
H5012
Item number
30 69 050 120



GoSmart Portable ZigBee scene controller IP-2002ZB

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 2
- power supply: CR 2430 3 V



Order Code
H5015
Item number
30 69 050 150



GoSmart Portable ZigBee scene controller IP-2004ZW

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 4
- power supply: CR 2430 3 V



Order Code
H5013
Item number
30 69 050 130



GoSmart Portable ZigBee scene controller IP-2004ZB

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- number of control buttons: 4
- power supply: CR 2430 3 V




Order Code
H5016
Item number
30 69 050 160





Central units

Expand your smart home with additional sensors and products. Use the central unit to conveniently connect them and use them to set up automations. Small wireless sensors can run for several years on a single battery thanks to the low power consumption of the ZigBee protocol.



ZigBee 3.0

Works with
Alexa,
Google Assistant

Download on the
App Store

GET IT ON
Google Play

GoSmart Multifunctional ZigBee gateway IP-1000Z

The ZigBee gateway will act as the basic unit for a smart home and ensure that other sensors and products are connected to one centrally controlled unit. It will allow setting up their automation.


- communication protocols: Wi-Fi / ZigBee 3.0 / BLE / SigMesh
- easy installation and interfacing with other sensors and products
- miniature size
- maximum number of connected clients: 50
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi/Zigbee 3.0/BLE/SigMesh
- pairing: automatic, manual
- use: automation
- number of control buttons: 1
- power supply: 5 V DC/1.0 A



Order Code
H5001
Item number
30 69 050 010



8 592920 118627



GoSmart Signal repeater IP-2213Z

The signal repeater for ZigBee gateway is an effective device for extending the range of ZigBee signal. It is the ideal helper where the signal from the ZigBee gateway cannot reach due to various reasons such as wall thickness, electromagnetic interference or distance between devices.

- minimalist design
- easy installation using a USB adapter
- Significant signal boost in hard-to-reach areas
- low power consumption
- secure encryption technology
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: automation
- power supply: 5 V DC/1.0 A



Order Code
H5022
Item number
30 69 052 030



8 592920 128725



Extension leads

Take full control of all electrical appliances in your home. Monitor your electricity consumption with smart extension leads, remotely switch them on or off using your mobile device, and turn regular appliances into smart ones. Save both money and time.



GoSmart Extension cord

- switch appliances on and off remotely using your mobile phone
- automate the operation of connected appliances
- save energy and monitor consumption
- timer function; child lock
- restores to previous ON/OFF state after a power outage

- colour: white/black
- children protection
- maximum load: 3 680 W
- type of insulation: PVC
- conductor: H05VV-F3G



Order Code
P1422SM
Item number
19 22 940 201





Sockets

Track your electricity consumption with smart indoor or outdoor sockets. Switch them on or off remotely using your mobile device. Save money and time.



- switch appliances on and off remotely using your mobile phone
- automate the operation of connected devices
- save energy and monitor consumption
- timer function; child lock
- when the power is switched off, it returns to the state before the power failure - ON/OFF

GoSmart Socket IP-3001F

- controlled via Android
- controlled via iOS
- maximum load: 3 680 W
- transmission frequency: 2.4 GHz WIFI
- number of switching per day: 30
- minimal time setting: 1 minute



Order Code
P5531
Item number
19 36 055 310



GoSmart Socket IP44 IP-3005F

- controlled via Android
- controlled via iOS
- maximum load: 3 680 W
- transmission frequency: 2.4 GHz
- number of switching per day: 30
- minimal time setting: 1 minute



Order Code
P5532
Item number
19 36 055 320



GoSmart Socket IP-3007F ZigBee

- controlled via Android
- controlled via iOS
- maximum load: 3 680 W
- transmission frequency: 2.4 GHz
- number of switching per day: 30
- minimal time setting: 1 minute



Order Code
P5533
Item number
19 36 553 300



GoSmart Socket IP44 IP-3008F ZigBee

- controlled via Android
- controlled via iOS
- maximum load: 3 680 W
- transmission frequency: 2.4 GHz
- number of switching per day: 30
- minimal time setting: 1 minute




Order Code
P5534
Item number
19 36 553 400





Modules


The smart modules are small in size and can be easily connected under a conventional switch in the installation box without having to replace your old switches to match your home décor. Get the main benefits of smart devices.



Small size and big effect. These are our switching and dimming modules that let you control the lighting in your home with a mobile app. You can set the intensity of the lights and, for example, the time they are switched on or off.


- connection via ZigBee or Wi-Fi protocol
- variants for installations with or without a neutral wire
- 1 or 2-channel module, which you can choose depending on whether you want to convert a single or double switch into a smart one
- control manually, via the EMOS GoSmart app or voice assistants like Amazon Alexa and Google Assistant

Easy installation



GoSmart Dimming module IP-2111DZ, ZigBee, 1-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W



GoSmart Dimming module IP-2112DZ, ZigBee, 2-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W



Order Code
H5107
Item number
30 69 051 070



8 592920 125946



Order Code
H5108
Item number
30 69 051 080




8 592920 125922

GoSmart Switching module IP-2101SZ, ZigBee, 1-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

ZigBee
3.0



Order Code
H5101
Item number
30 69 051 010



GoSmart Switching module IP-2102SZ, ZigBee, 2-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

ZigBee
3.0



Order Code
H5102
Item number
30 69 051 020



GoSmart Switching module IP-2103SZ, ZigBee, 1-channel, bez nulového vodiče

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

ZigBee
3.0

No Neutral



Order Code
H5103
Item number
30 69 051 030




GoSmart Switching module IP-2104SZ, ZigBee, 2-channel, bez nulového vodiče

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

ZigBee
3.0

No Neutral




Order Code
H5104
Item number
30 69 051 040



GoSmart Switching module IP-2101SW, Wi-Fi, 1-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

Wi Fi



Order Code
H5105
Item number
30 69 051 050



GoSmart Switching module IP-2102SW, Wi-Fi, 2-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

Wi Fi



Order Code
H5106
Item number
30 69 051 060






GoSmart Motor modul IP-2121CZ, ZigBee, 1-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

ZigBee
3.0

Order Code
H5109
Item number
30 69 051 090




GoSmart Motor modul IP-2122CZ, ZigBee, 2-channel

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Zigbee 3.0
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

ZigBee
3.0

Order Code
H5110
Item number
30 69 051 100



GoSmart Garage modul IP-2131SW

The smart garage door control module will make your home more secure and take away the question of whether you have closed your garage or entry gate.

- remote control of your garage door using the EMOS GoSmart app on your mobile phone
- receive real-time notifications of door activity on your mobile phone
- automation with other GoSmart products
- remote control of garage opening/closing status from anywhere
- can also be used for entrance gates

- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi/BLE
- pairing: automatic, manual
- use: indoor
- number of control buttons: 1
- power supply: 230 V~/50 Hz, max. 0,3 W

Wi Fi

Order Code
H5111
Item number
30 69 051 110






LIGHTS AND LIGHT SOURCES

- Light bulbs
- LED Strips
- Luminaires
- Christmas lighting
- Spotlights
- Garden lighting
- Ambient lighting



Create a unique
atmosphere
in your home.



Light bulbs

Smart bulbs will become your key to home automation. Create scenes and take advantage of lighting settings in your home, from dimming to different colour tones of light. Create a pleasant atmosphere and give your home not only quality, but also smart lighting.



BENEFITS

- ▶ **circadian rhythm** – automatically changes the color temperature of the light during the day to mimic the natural rhythm of sunlight and positively affects our biological clock, sleep and overall comfortable lifestyle
- ▶ **music mode** – the bulb synchronizes with the surrounding music and can thus flash in its rhythm
- ▶ **scheduling** – setting cycles, sleep mode, light alarm
- ▶ **bulb grouping** – allows you to group bulbs with the same communication protocol, so you don't have to control each bulb separately, e.g. creating a "Kitchen" group and controlling all kitchen lighting with one click
- ▶ **reverse switch** – a feature that most bulbs lack, turning on and off according to the current state
- ▶ **preset scenes** – each bulb has a set of pre-created scenes in the application (breathing, smooth transition between colors...), it is possible to adjust according to your own preferences
- ▶ **memory at power on** – a setting that determines how the bulb will behave after being turned on – e.g. whether it will light up at the previous brightness, temperature or a specific color
- ▶ **dimming** – all bulbs are dimmable in the range of 100% - 10%

You can control the smart Wi-Fi bulbs with a mobile app. The bulbs allow you to pair them into groups and set different properties, such as colour and light intensity, to your liking.

- control via mobile phone app
- the ability to pair multiple bulbs into groups
- the possibility of dimming and changing the colour of the light
- true-to-life RGB colour rendering



DIMMABLE
10% - 100%

CCT



GoSmart LED bulb A60 9W E27 RGB

- luminous flux: 806 lm
- color temperature: 2 700–6 500 K
- colour settings (RGB)
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 60 × 60 × 120 mm



Order Code
ZQW514R
Item number
15 20 503 500



GoSmart LED bulb A60 11W E27 RGB

- luminous flux: 1 050 lm
- color temperature: 2 700–6 500 K
- colour settings (RGB)
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 60 × 60 × 125 mm



Order Code
ZQW515R
Item number
15 20 503 501



GoSmart LED bulb A60 14W E27 RGB

- luminous flux: 1 400 lm
- color temperature: 2 700–6 500 K
- colour settings (RGB)
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 65 × 65 × 134 mm



Order Code
ZQW516R
Item number
15 20 503 502



GoSmart LED bulb CANDLE 4,8W E14 RGB

- luminous flux: 470 lm
- color temperature: 2 700–6 500 K
- colour settings (RGB)
- beam angle: 180°
- lifetime: 20 000 hours
- dimensions: 37 × 37 × 110 mm



Order Code
ZQW322R
Item number
15 25 501 500



GoSmart LED bulb MR16 4,8W GU10 RGB

- luminous flux: 400 lm
- color temperature: 2 700–6 500 K
- colour settings (RGB)
- beam angle: 120°
- lifetime: 20 000 hours
- dimensions: 50 × 50 × 56.5 mm



Order Code
ZQW832R
Item number
15 25 500 500





Smart ZigBee bulbs can be controlled using a mobile app. The bulbs allow you to pair them into groups and set different properties such as colour and light intensity to your liking.

- control via mobile phone app
- multiple bulbs can be paired into groups
- the possibility of dimming and changing the colour of the light
- true-to-life RGB colour rendering



ZigBee
3.0

DIMMABLE
10% – 100%

CCT

RGB

GoSmart LED bulb A60 9W E27 RGB

- luminous flux: 806 lm
- color temperature: 2 700–6 500 K
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 60 × 60 × 120 mm



Order Code
ZQZ514R
Item number
15 25 753 500



GoSmart LED bulb A60 11W E27 RGB

- luminous flux: 1 050 lm
- color temperature: 2 700–6 500 K
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 60 × 60 × 125 mm



Order Code
ZQZ516R
Item number
15 25 753 501



GoSmart LED bulb A60 14W E27 RGB

- luminous flux: 1 400 lm
- color temperature: 2 700–6 500 K
- beam angle: 200°
- lifetime: 20 000 hours
- dimensions: 65 × 65 × 134 mm



Order Code
ZQZ516R
Item number
15 25 753 502



GoSmart LED bulb CANDLE 4,8W E14 RGB

- luminous flux: 470 lm
- color temperature: 2 700–6 500 K
- beam angle: 180°
- lifetime: 20 000 hours
- dimensions: 37 × 37 × 110 mm



Order Code
ZQZ322R
Item number
15 25 751 500




GoSmart LED bulb MR16 4,8W GU10 RGB

- luminous flux: 400 lm
- color temperature: 2 700–6 500 K
- beam angle: 120°
- lifetime: 20 000 hours
- dimensions: 50 × 50 × 56,5 mm



Order Code
ZQZ832R
Item number
15 25 750 500





LED Strips



Create a unique atmosphere in your interior and gain complete control over your lighting. Monitor power consumption, create different scenes and animations, and adjust light colours and brightness levels to suit your needs.




Fine-tune your interior to your mood with the LED smart strip that easily adapts to your ideas. Whether you want to illuminate an entire room, create a subtle ambient effect or highlight furniture details, the possibilities are endless with this strip. Control is a breeze - via the app or the included remote control.

- control colour, brightness and modes via the app or remote control
- RGB + CCT technology for a wide range of colours and white temperatures
- perfect for general lighting and subtle light accents
- can be shortened to the exact length required
- compatible with smart home and automation



GoSmart LED strip Wi-Fi, 2 m

- protocol: WIFI + BLE
- power: 11 W
- luminous flux: 750 lm
- color temperature: 2 700–6 500 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz Wi-Fi




Order Code
ZPW218R
Item number
15 51 021 800



GoSmart LED strip Wi-Fi, 5 m

- protocol: WIFI + BLE
- power: 21 W
- luminous flux: 1 400 lm
- color temperature: 2 700–6 500 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz Wi-Fi



Order Code
ZPW518R
Item number
15 51 051 800





Bring colorful energy and creativity to your space with smart LED Neon strips that adapt to any idea. With flexible shaping and segmented control, they turn any interior into an original lighting scene. Whether you control them with an app, voice or controller, you have complete freedom to create and change the atmosphere according to your mood, music or time of day.

- programmable RGBIC with over 16 million colours
- segmented colour control allows each segment to shine in a different colour
- control via mobile app, voice assistants, or the included controller
- preset light modes + the ability to create your own
- variable shaping
- synchronisation with music



GoSmart Flexible LED strip NEON, 3 m

- protocol: WIFI + BLE
- power: 23 W
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi

Order Code
ZPW313I
Item number
15 55 313 000



GoSmart Flexible LED strip NEON, 5 m

- protocol: WIFI + BLE
- power: 33 W
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi

Order Code
ZPW513I
Item number
15 55 513 000





Luminaires

Adjust the lighting conditions to best suit your current activity and mood. With your smartphone, voice assistant or your remote control, you can control the lights throughout your house or apartment, including brightness and colour control.



You can conveniently control your modern smart lighting via the app on your smartphone or using the remote control. Adjust both the light colour and intensity to always create the perfect atmosphere.

- connectivity with other smart home devices
- smooth dimming, light colour adjustment
- timer and night light function



GoSmart LED luminaire ILVI 30W

- replacement of incandescent bulb: 110 W
- IP rating: IP20
- luminous flux: 1 800 lm
- color temperature: 2 700–6 500 K
- diffuser type: milky
- dimensions: 400 × 70 mm in diameter
- dimming function



Order Code
ZM5191
Item number
15 39 087 300



GoSmart LED luminaire ILVI 45W

- replacement of incandescent bulb: 160 W
- IP rating: IP20
- luminous flux: 2 700 lm
- color temperature: 2 700–6 500 K
- diffuser type: milky
- dimensions: 500 × 70 mm in diameter
- dimming function



Order Code
ZM5192
Item number
15 39 087 450





Christmas lighting

Enjoy easy control and adjustment of your Christmas tree, outdoor decorations, or indoor lighting. Choose from various scenes, animations, or colour changes to perfectly suit your needs.



EMOS GoSmart smart LED Christmas chains with Wi-Fi technology can light up Christmas in all colours. You can set the colour and the timer function via an app on your mobile phone. Thanks to the IP44 waterproof rating, you can enjoy the lights both indoors and outdoors without worry.

- up to 64 light modes
- control via the EMOS GoSmart app on your mobile phone
- timer function to switch the lights on and off at a set time
- synchronisation with music - the chain will flash to the beat of the music thanks to the integrated microphone
- voice control via Amazon Alexa or Google Assistant

GoSmart LED christmas chain CLASSIC 8 m RGB

- dimensions: 8 m
- area of use: both outdoor and indoor
- power supply type: AC adapter



Order Code
D4ZR01
Item number
15 50 044 028



GoSmart LED christmas chain CLASSIC 12 m RGB

- dimensions: 12 m
- area of use: both outdoor and indoor
- power supply type: AC adapter




Order Code
D4ZR02
Item number
15 50 044 029





Spotlights

Create a unique atmosphere with our smart spotlights that offer easy mobile app control, energy savings, flexibility of use and control over your outdoor and indoor lighting.



Outdoor spotlights offer ample power to illuminate your spaces without putting unnecessary strain on your budget.. The smaller spotlight size is ideal for illuminating small buildings, storefronts and driveways. The larger size is suitable for illuminating garden landmarks, architecture, nightclubs, tree alleys and other points of interest.

- RGB + CCT, dimmable
- suitable for outdoor and indoor use
- automation with other smart devices
- compatible with Amazon Alexa and Google Assistant voice assistants
- mains powered

GoSmart LED spotlight, 20 W

- luminous flux: 1 720 lm
- colour settings (RGB)
- IP rating: IP65
- beam angle: 120°
- dimensions: 157 × 56 × 101 mm
- mechanical impact protection: IK05



GoSmart LED spotlight, 50 W

- luminous flux: 4 300 lm
- colour settings (RGB)
- IP rating: IP65
- beam angle: 120°
- dimensions: 195 × 57 × 152 mm
- mechanical impact protection: IK05



Order Code
ZSW100
Item number
15 31 100 000



8 592920 133781



Order Code
ZSW101
Item number
15 31 101 001




8 592920 133804





Get total control over your outdoor lighting and create the right mood - whether you're hosting a garden party, relaxing under a pergola or want to light up your facade in style. These modern smart floodlights combine powerful light output with subtle light diffusion and fully customisable effects that are easily controlled via an app.

- each floodlight can shine a different colour thanks to RGBIC + CCT technology
- expandable up to 6 floodlights as required (3 starter sets + max. 3 expansion sets)
- soft and even illumination thanks to the integrated milk diffuser
- two installation options: bracket for fixed mounting or ground spike for easy placement
- compact and flexible solution for a wide range of outdoor applications



GoSmart Outdoor spotlight, starter set of 3 pieces

- protocol: WIFI + BLE
- power: 14 W
- luminous flux: 990 lm
- color temperature: 3 000–6 500 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi



GoSmart Outdoor spotlight, extension set 1pc

- protocol: WIFI + BLE
- power: 4 W
- luminous flux: 330 lm
- color temperature: 3 000–6 500 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi



Order Code
ZIW184R
Item number
15 54 184 000



8 592920 136935



Order Code
ZIW181R
Item number
15 54 181 000




8 592920 136959



Garden lighting

It brings not only functionality but also an aesthetic experience. Our products are designed to allow you to create the perfect atmosphere in your garden, on your patio or around the house. Thanks to modern technology, you can easily control the lighting with a mobile app and customize it to your needs.




Add a unique atmosphere to your outdoor space with a smart light chain that combines the classic look of party bulbs with modern RGBIC effects. Whether you're throwing a party, hosting a barbecue or just enjoying a quiet evening in the garden, this chain will create exactly the mood you want - easily and efficiently.

- each bulb comes with a light 'drop' on the wire that changes colour in sync with it
- programmable RGBIC - over 16 million colour combinations
- synchronisation with music
- IP44 rated adapter - safe for outdoor use under roof
- control via mobile app - set the colours, brightness and modes in moments
- easy installation thanks to a handy hook on each bulb

GoSmart LED light chain - 15× party bulbs, 15 m

- protocol: WIFI + BLE
- power: 12 W
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi



Order Code
ZIW17FR
Item number
15 55 017 000



8 592920 136973




Outdoor spot lights offer over 16 million colours, each spotlight can shine in a different colour thanks to programmable RGBIC, or you can choose from preset modes to elevate your garden, facade, or driveway.

- Programmable RGBIC + CCT (each spot light can shine in a different color according to the settings in the application)
- garden lighting of the house, garden, driveway and other outdoor areas
- max. expansion of the set to 8 spot lights (4 pcs starter set + max. 4 expansion kits)
- narrower light cone for intense spot lighting
- spacing between lights up to 3 m
- easy installation with a plug-in spike



GoSmart Outdoor spotlights, starter set of 4

- protocol: WIFI + BLE
- power: 7 W
- luminous flux: 400 lm
- color temperature: 3 000–6 500 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi



GoSmart Outdoor spotlight, extension set 1 pc.

- protocol: WIFI + BLE
- power: 1.5 W
- luminous flux: 100 lm
- color temperature: 3 000–6 500 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi





Ambient lighting

Transform your living room, bedroom, playroom or home office with our decorative lighting. With a wide range of light modes and easy control via the mobile app, you can create the perfect atmosphere for reading, a romantic evening or thrilling computer game battles

Programmable RGBIC

This is a technology that allows segmented color control, dividing the lighting into color sections. Each part of the lighting can shine a different color according to the settings in the application.



- RGB + CCT, over 16 million colours
- dimmable from 10 - 100%
- interior lighting to set the mood, illuminate pictures, walls and details
- operation is provided by a 1.5 m power cord
- synchronisation with music
- additional features: memory function in case of power outages, timer, lighting modes, control via Amazon Alexa and Google Assistant voice assistants, etc.



GoSmart LED ambient lamp, black / white

- protocol: WIFI + BLE
- power: 7 W
- luminous flux: 330 lm
- color temperature: 3 000–6 500 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi

Order Code
ZCW11BR
Item number
15 55 110 000



8 592920 133743



Order Code
ZCW11WR
Item number
15 55 111 000



8 592920 133767



This smart lighting system uses an HD synchronization sensor that detects the screen's color spectrum and automatically adjusts the backlight to match what's happening on the screen, creating an immersive visual experience.

- programmable RGBIC
- sync with music via microphone
- a wide range of predefined scenic and dynamic modes, plus the option to create your own.
- a pleasant atmosphere while watching TV that also helps protect your eyes
- mounting with special brackets – no gluing required.
- multiple sizes available for 55", 65", 75" TVs



GoSmart Ambient LED RGB lighting behind 55" TV (139 cm)

- protocol: WIFI + BLE
- power: 24 W
- luminous flux: 450 lm
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi



Order Code
ZTV55
Item number
15 51 550 000



GoSmart Ambient LED RGB lighting behind the TV 65" (164 cm)

- protocol: WIFI + BLE
- power: 24 W
- luminous flux: 610 lm
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi



Order Code
ZTV65
Item number
15 51 650 000



GoSmart Ambient LED RGB lighting behind the TV 75" (189 cm)

- protocol: WIFI + BLE
- power: 24 W
- luminous flux: 660 lm
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi




Order Code
ZTV75
Item number
15 51 750 000





Transform the atmosphere of any room with a single touch. These modern smart LED spot lights let you customize color, brightness, and lighting modes to your exact needs – whether you're creating a relaxing zone, a creative studio, or convenient everyday lighting. Easily control everything via app, voice assistants, or the in-line remote on the power cable.



- programmable RGBIC + CCT technology for vivid and dynamic colours
- dimming from 10 to 100% for maximum comfort
- expandable up to 24 lights (ideal for whole room or larger spaces)
- easy power supply thanks to 2 m power cord
- flexible mounting with included 3M tape or screws
- packed with features: timer, preset modes, custom settings, and more.

GoSmart LED spotlight, starter set 12 pcs

- protocol: WIFI + BLE
- power: 7 W
- color temperature: 3 000–6 500 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi


Order Code
ZIW15CR
Item number
15 55 015 000



GoSmart LED spotlight, extension set 4 pcs.

- protocol: WIFI + BLE
- power: 1.9 W
- color temperature: 3 000–6 500 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi

Order Code
ZIW154R
Item number
15 55 154 000



ZIW15CR
STARTER KIT

16 cm 16 cm 16 cm 16 cm 16 cm 16 cm 16 cm 16 cm 16 cm 16 cm 16 cm 16 cm



ZIW154R
EXPANSION KIT (+ max. 24 pcs)




10% 100%
3 000 K 6 500 K
RGB IC RGB IC



With smart hexagonal LED panels, you can create original lighting perfect for game rooms, living rooms, bedrooms, and other indoor spaces. Thanks to the modular design, you can unleash your creativity and design your own works of art.


- programmable RGBIC technology
- dimmable 10 - 100%
- max. expansion to 19 panels (10 pcs starter set + max. 3 expansion sets)
- other features: timer, light modes, DIY modes, control via mobile app, voice assistants or controller etc



GoSmart LED light Hexagon, starter set 10 pcs.

- protocol: WIFI + BLE
- power: 19 W
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi

Order Code
ZIW22AR
Item number
15 55 022 000





ZIW22AR
STARTER KIT

10% ————— 100%
RGB IC ————— RGB IC

GoSmart LED light Hexagon, extension set of 3 pieces


- protocol: WIFI + BLE
- power: 1.8 W
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi

Order Code
ZIW223R
Item number
15 55 223 000



ZIW223R
EXPANSION KIT (+ max. 19 pcs)





GoSmart LED table lamp Hexagon, 6 pcs.


A modern smart LED table lamp designed to create the perfect atmosphere for work, relaxation, or entertainment. The lamp consists of hexagonal panels that can be arranged into various shapes.

- programmable RGBIC technology with 10-100% dimming
- control via mobile app, voice assistants or controller
- flexible placement: use the stand or mount on the wall with 3M tape.
- power supply via 1.2 m USB-C cable
- additional features: timer, light modes, DIY modes, synchronization with music via mobile app, etc.



- protocol: WIFI + BLE
- power: 5.5 W
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi


Order Code
ZIW426R
Item number
15 55 426 000



GoSmart LED floor lamp

An interior lamp made of four rotating segments (up to 180°) allows lighting in four different directions. It can be placed on the floor or mounted on the wall to create modern ambient lighting in your space.

- Programmable RGBIC + dimming function 10-100%
- installation material included
- synchronization with music and flashing to the beat of the music
- additional functions: timer, light modes, DIY modes, control via mobile app or controller, etc.



- protocol: WIFI + BLE
- power: 20 W
- luminous flux: 1 000 lm
- color temperature: 2 700 K
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi

Order Code
ZCW34BR
Item number
15 55 034 000






GoSmart LED light Lines 9 parts white / black

Bring creative light design into your home. The Lines smart LED light consists of nine light strips and nine hexagonal connectors that you can arrange freely to suit your imagination. Smart controls via app, voice, or the in-line controller let you set the mood exactly as you like.

- colour RGBIC backlight with continuous dimming from 10 to 100%
- modular assembly: strip-strip or strip-hexagon combination for individual design
- power supply via 1.5m cable with integrated controller
- features such as timer, dynamic light modes, custom scenes or real-time synchronisation with sound via mobile app

- protocol: WIFI + BLE
- power: 34 W
- dimming
- colour settings (RGB)
- transmission frequency: 2.4 GHz WiFi



Order Code
ZIW249R
Item number
15 55 249 000



Order Code
ZIW269R
Item number
15 55 269 000





HOUSEHOLD AND GARDEN


- Scales
- Pet care
- Irrigation systems

Take care of your health,
pets and garden with
modern technology.



Personal Scales

Keep your body, mind, and weight in check with our smart scales. They provide a detailed overview not just of your weight but other key health indicators that support a healthy lifestyle.



GoSmart Personal Scale EV112

The EV112 smart personal scale can monitor up to 18 body indicators and give you detailed information about your body. With clear reports in graphical form, you'll track your progress towards your dream figure.

- 18 measurable values such as BMI index, body fat, muscle mass percentage, your ideal weight and much more
- memory for up to 10 different users
- max weight capacity 180 kg (396 lb)
- weighing accuracy to 100 g
- elegant glass design with clear, backlit LCD display

- LCD display
- backlight display
- scale surface: ITO tempered glass
- maximum load: 180 kg
- Bluetooth
- BMI – measurement of fat, water and muscle
- weight units: kg, lb



Order Code
EV112
Item number
26 17 010 902





Pet care

Treat your pet to a healthy and happy lifestyle. Smart products that you control via a mobile app ensure fresh kibble in the bowl and a quality drinking regime even when you're not at home.





GoSmart Water fountain

Ensuring a fresh water supply and supporting the drinking regime of your pets. The high-quality 5-layer filter effectively removes heavy metals, impurities and other harmful substances, ensuring maximum water purity.

- low water level alarm, need to clean the tank or change the filter
- quiet operation with water flow control
- available accessories

- capacity: 2,6 l
- recommendations: small and medium breeds
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi

Order Code
H6102
Item number
26 31 610 200



Water fountain replacement filter set

- includes 4 filters, 4 pump filters and cleaning brush
- filter composition: high density cotton, coir, activated carbon and ink exchanger
- filter change every 2-4 weeks
- removes heavy metals, dirt and other contaminants



Order Code
H6901
Item number
26 31 690 100



Replacement water pump

- includes 1.5 m USB-A cable
- package also includes a replacement pump filter
- quiet operation
- water flow control




Order Code
H6903
Item number
26 31 690 300




Our smart feeders solve feeding issues with accurate portions on a custom schedule. Control everything remotely via mobile app. Give your pet a healthy and happy lifestyle and choose a feeder that fits your needs.

- precise timing and dosing of food according to your pet's needs from anywhere using the mobile app
- safety lock
- 5-6 g portion size
- keeps food fresh
- dual power supply: power supply and D-size battery backup in case of power failure
- hopper lock
- washable stainless steel bowl
- anti stuck
- additional features: stuck feed alarm, low feed level alert, adjustable camera, two-way communication, motion detection (for camera versions), etc.



GoSmart Feeder, 4 l

- capacity: 4 l
- recommendations: small and medium breeds
- one serving: 5 g
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi




Order Code
H6002
Item number
26 31 600 200



GoSmart Feeder with camera, 4 l

- capacity: 4 l
- recommendations: small and medium breeds
- one serving: 5 g
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication



Order Code
H6004
Item number
26 31 600 400




GoSmart Feeder with camera, 6 l

- capacity: 6 l
- recommendations: medium and large breeds
- one serving: 5 g
- compatibility: EMOS GoSmart, TUYA, LIDL, Smartlife, open system
- protocol: Wi-Fi
- voice communication



Order Code
H6006
Item number
26 31 600 600





Irrigation systems

Discover our innovative range of smart irrigation timers that revolutionize garden care. These products combine modern technology with intuitive operation for maximum convenience and efficiency.

EMOS smart irrigation clocks are designed with your convenience and reliability in mind. Thanks to intuitive control via your phone, watering your garden becomes an almost effortless task. You can count on trouble-free operation throughout the season, saving you a lot of time and energy.

- 1 or 2 outlet version
- easy to use on the mobile app
- compatible with Amazon Alexa and Google Assistant voice assistants
- timer and watering history tracking
- rain delay feature for 24, 48, or 72 hours
- battery operation with 4× AA batteries (not included)



GoSmart Irrigation timer, 1 output

- operating water pressure : 0,5–8 bar
- maximum flow rate : 35 l/min
- Irrigation frequency : unlimited
- irrigation duration : 1 minute - 24 hours
- irrigation cycles per day : unlimited
- thread : 3/4", 1"
- manual irrigation

Order Code
PW56201
Item number
21 05 562 010



GoSmart Irrigation timer, 2 outputs

- operating water pressure : 0,5–8 bar
- maximum flow rate : 35 l/min
- Irrigation frequency : unlimited
- irrigation duration : 1 minute - 24 hours
- irrigation cycles per day : unlimited
- thread : 3/4", 1"
- manual irrigation

Order Code
PW56202
Item number
21 05 562 020





Let your home take care of itself and give yourself more time for your loved ones and interests.




SECURITY HOME

- 1 Indoor IP cameras
- 2 Outdoor IP cameras
- 3 Video door phones
- 4 Video doorbells
- 5 Wireless doorbells
- 6 Sensors
- 7 Access control systems



MEASUREMENT AND REGULATION

- 8 Thermostats
- 9 Weather stations and thermometers
- 10 Control valves
- 11 Air quality



ELECTRICAL INSTALLATIONS AND CONTROLS

- 12 Scenic controls
- 13 Smart hubs
- 14 Extension cords
- 15 Sockets
- 16 Modules



LUMINAIRES AND LIGHTING SOURCES

- 17 Light bulbs
- 18 LED Strips
- 19 Luminaries
- 20 Christmas lights
- 21 Floodlights
- 22 Garden lighting
- 23 Ambient lighting



HOME AND GARDEN

- 24 Scales
- 25 Pet care
- 26 Irrigation systems



EMOS spol. s r.o.

Lipnicka 2844, 750 02 Prerov, Czech republic

e-mail: emos@emos.cz | phone: +420 581 261 111

www.emosgosmart.eu